
# ML-2V Currency Counter

**Extraordinary Performance** 





**ML-Series** 



- Superior Performance
- 6 Different Image Acquisition
- Dual Side Serial Number Recognition
- 5" Full Color Touch Display
- Quick Booting System



# LIDIX ML-2V



# **Specification**

Items	Description	
Speed	Value Counting	1500 notes/min
	Fitness Sorting	None
	Dual Serial Number Recog.	1200 notes/min
Operating Mode	Piece Counting, Value Counting, Denomination Sorting, Face & Orientation Sorting	
Software Upgrade	Off-line : USB / On-line : Ethernet	
Interface	LAN, USB, RS232C	
Multi Currency Processing	Max 20 Currencies	
Electrical Spec.	AC 100-240V, 50~60Hz	
Dimension	295(W) x 345(D) x 298(H) mm	
Specification	<ol> <li>Counterfeit Detection: UV, MG, MT, IR, FL</li> <li>5" Full Color LCD Touch Screen</li> <li>Parallel Operation</li> </ol>	
Options	<ol> <li>Dual Serial Number Printing &amp; Management</li> <li>Auto Currency Function</li> <li>External LCD Display</li> </ol>	

## **Superior Performance**



The faster and superior performance by using the latest Xilinx Zynq™ SoC

#### **Quick Booting System**



Booting, including machine's self-diagnostic test, can be done in 3 seconds

## 6 Different Image Acquisition



6 different images are collected at the same time from dual side CIS

#### **Modular Structure for Easy Maintenance**



Modular structure provides easy maintenance and replacement.

### **Dual Side Serial Number Recognition**





Serial number recognition is available in any direction by dual side image scan.

# **Easy Software Upgrade**



Easy & fast software upgrade Off-line : USB memory On-Line : Ethernet

#### **Authenticity Detection**



Accurate, reliable authenticity detection by using 6 different images, Full Line Magnetic Sensor, FL & UV...etc

#### Various Interface



Provide easy access to several types of user's application thru LAN, USB & RS232C

#### **Multi Currency Processing**



Apart from the local currency, multiple currencies can be installed as an option

#### **Parallel Operation**



Parallel operation is available for multi-users

# 5"Full Color Touch Display



Large 5" LCD touch screen with a high quality resolution of WVGA (800X480)





Visit us at www.lidix.co.kr for more information. Tel +82-2-857-2007 (Seoul, Korea) Email sales@lidix.co.kr